

MHT tudományos támogatással született publikációk listája

2008:

Horváth P., Kneffel Zs., Lénárd Zs., Kispéter Zs., Petrekanits M., Pavlik G.: Echocardiographic parameters in athlete and non-athlete offspring of hypertensive parents. *Echocardiography*, 25 1-7 (2008) *IF: 1,329*

Bajcsi Dóra, Légrády Péter, Farkas Réka, Fejes Imola, Frank Enikő, Farkas Katalin, Fehértemplomi Katalin, Erdei Éva, Majlath Zsófia, Ábrahám György. A kis- és nagyerek állapotának non-invazív vizsgálata Finometer® eszközzel cukorbeteg és nem cukorbeteg hypertóniásokban. *Magy Belorv Arch* 2008;61:101-107.

2009:

Varga-Pintér B., Horváth P., Kneffel Zs., Major Zs., Tóth M., Pavlik G.: Felnőtt sportolók nyugalmi vérnyomása. *Hung. Rev. Sports Med.* 50 11-16 (2009)

Légrády Péter: Szemelvények a hazai kardiometabolikus kutatások eredményeiből. *Családorvosi Fórum*, 2009. március, pp. 5-8.

2010:

Páll D, Juhász M, Lengyel S, Molnár C, Paragh G, Fülesdi B, Katona E. Assessment of target-organ damage in adolescent white-coat and sustained hypertensives. *J Hypertens.* 2010 Oct;28(10):2139-44. *IF: 3,98*

3: Juhász M, Katona E, Settakis G, Paragh G, Molnár C, Fülesdi B, Páll D. Gender-related differences in adolescent hypertension and in target organ effects. *J Womens Health (Larchmt).* 2010 Apr;19(4):759-65. *IF: 1,454*

M Matrai, B Szekacs, M Mericli, GL Nadasy, M Szekeres, G Bekesi, E Monos, Sz Varbiro. Biomechanics and vasoreactivity of female intramural coronaries in angiotensin II induced hypertension. *Acta Physiologica Hungarica.* 2010; 97:31–42. *IF: 1,226*

Varbiro S, Biro A , Cervenak J , Cervenak L , Singh M , Banhidy F , Sebestyen A , Fust G , Prohaszka Z Human anti-60 kD heat shock protein autoantibodies are characterized by basic features of natural autoantibodies *ACTA PHYSIOLOGICA HUNGARICA* 97:(1) pp. 1-10. (2010) *IF: 1,226*

Nádasy GL, Várbíró S, Szekeres M, Kocsis A, Székács B, Monos E, Kollai M. Biomechanics of Resistance Artery Wall Remodeling in Angiotensin-II Hypertension and Subsequent Recovery. *Kidney Blood Press Res.* 2010; 33:37-47. *IF* : 1,500

Molnar MZ, Keszei A, Czira ME, Rudas A, Ujszaszi A, Haromszeki B, Kosa JP, Lakatos P, Sarvary E, Beko G, Fornadi K, Kiss I, Rempert A, Novak M, Kalantar-Zadeh K, Kovesdy CP, Mucsi I Evaluation of the Malnutrition-Inflammation Score in Kidney Transplant Recipients *AM J KIDNEY DIS*: 56(1): 102-111 (2010) *impact factor*: 5,152

Molnar MZ, Czira ME, Rudas A, Ujszaszi A, Haromszeki B, Kosa JP, Lakatos P, Beko G, Sarvary E, Varga M, Fornadi K, Novak M, Rosivall L, Kiss I, Rempert A, Goldsmith DJ, Kovesdy CP, Mucsi I. Association between the Malnutrition-Inflammation Score and Post-Transplant Anemia *NEPHROL DIAL TRANSPL.* 2011 Jun;26(6):2000-6. *impact factor*: 3.306

Kovesdy CP, Czira ME, Rudas A, Ujszaszi A, Rosivall L, Novak M, Kalantar-Zadeh K, Molnar MZ, Mucsi I. Body mass index, waist circumference and mortality in kidney transplant recipients *AM J TRANSPLANT.* 2010 Dec;10(12):2644-51. *impact factor*: 6.433

Kovesdy CP, Molnar MZ, Czira ME, Rudas A, Ujszaszi A, Rosivall L, Szathmari M, Covic A, Keszei A, Beko G, Lakatos P, Kosa J, Mucsi I. Associations between serum leptin level and bone turnover in kidney transplant recipients. *Clin J Am Soc Nephrol.* 2010 Dec;5(12):2297-304. *impact factor*: 4.844

Szentkiralyi A, Czira ME, Molnar MZ, Kovesdy CP, Rempert A, Szeifert L, Vamos EP, Juhasz J, Turanyi CZ, Mucsi I, Novak M High risk of obstructive sleep apnea is a risk factor of death censored graft loss in kidney transplant recipients – an observational cohort study *SLEEP MED.* 2011 Mar;12(3):267-73. *impact factor*: 3.699

Kovacs AZ, Molnar MZ, Szeifert L, Ambrus C, Molnar-Varga M, Szentkiralyi A, Mucsi I, Novak M. Sleep disorders, depressive symptoms and health related quality of life – a crosssectional comparison between kidney transplant recipients and waitlisted patients on maintenance dialysis. *NEPHROL DIAL TRANSPL.* 2011 Mar;26(3):1058-65. *impact factor*: 3.306

2011:

Szentkiralyi A, Czira ME, Molnar MZ, Kovesdy CP, Rempert A, Szeifert L, Vamos EP, Juhasz J, Turanyi CZ, Mucsi I, Novak M: High risk of obstructive sleep apnea is a risk factor of death censored graft loss in kidney transplant recipients: an observational cohort study. *SLEEP MEDICINE* 12:(3) pp. 267-273. (2011) *IF*: 3.400

Varga-Pintér B., Horváth P., Kneffel Zs., Major Zs., Osváth P., Pavlik G.: Resting blood pressure values of adult athletes – blood pressure research. *Kidney and Blood Pressure Research* 34 387-395 (2011) *IF: 1,714*

Páll D, Lengyel S, Komonyi E, Molnár C, Paragh G, Fülesdi B, Katona E. Impaired cerebral vasoreactivity in white coat hypertensive adolescents. *Eur J Neurol.* 2011 Apr;18(4):584-9. *IF: 3,692*

2012:

Bodor Cs., Nagy J.P., Végh B., Németh A., Jenei A., Mirza Hosseini S., Sebe A., Rosivall L.: Angiotensin II increases the permeability and PV-1 expression of endothelial cells. *AJP-Cell Physiology*, 302 (1): C267-76, 2012, *IF: 3.711*

Anett Lindner, Katalin Fornadi, Alpar Sandor Lazar, Maria Eszter Czira, Andrea Dunai, Rezso Zoller, Andras Szentkiralyi, Marta Novak, Istvan Mucsi and Miklos Zsolt Molnar: Periodic Limb Movements in Sleep are associated with stroke and cardiovascular risk factors in patients with renal failure *J Sleep Res.* 2012 Jun;21(3):297-307. *IF: 3.157*

Fornadi K, Lindner A, Czira ME, Szentkiralyi A, Lazar AS, Zoller R, Turanyi CZ, Veber O, Novak M, Mucsi I, Molnar MZ. Lack of association between objectively assessed sleep disorders and inflammatory markers among kidney transplant recipients. *Int Urol Nephrol.* 2012 Apr;44(2):607-17. *IF: 1.325*

Sara L, Antal P, Masszi G, Buday A, Horvath EM, Hamar P, Monos E, Nadasy GL, Varbiro S. Arteriolar insulin resistance in a rat model of polycystic ovary syndrome. *Fertil Steril.* 2012;97:462-468. *IF: 4,174*

Sára L, Nádasy GyL, Antal P, Monori-Kiss A, Szekeres M, Masszi G, Monos E, Várbiro Sz. Pharmacological reactivity of resistance vessels in a rat PCOS model – vascular effects of parallel vitamin D3 treatment *Gynecol Endocrinol.* 2012; 28:961-964. *IF: 1,303*

Sára L, Nádasy GyL, Antal P, Szekeres M, Monori-Kiss A, Horváth EM, Tőkés AM, Masszi G, Monos E, Várbiro Sz Arteriolar biomechanics in a rat polycystic ovary syndrome model - Effects of parallel vitamin D3 treatment. *Acta Physiol Hung.* 2012; 99:279-288. *IF: 0,882*

Matrai M, Hetthessy J, Nadasy GL, Monos E, Szekacs B, Varbiro S. Sex Differences in the Biomechanics and Contractility of Intramural Coronary Arteries in Angiotensin II-Induced Hypertension. *Gender Med.* 2012; 9:548-556. *IF: 1,690*

Koller A, Toth P. Contribution of flow-dependent vasomotor mechanisms to the autoregulation of cerebral blood flow. *JOURNAL OF VASCULAR RESEARCH* 2012;49: 5pp.375-389,15p. *impact factor: 2.434*

Veresh Z, Debreczeni B, Hamar J, Kaminski PM, Wolin MS, Koller A. Asymmetric Dimethylarginine Reduces Nitric Oxide Donor-Mediated Dilatation of Arterioles by Activating the Vascular Renin-Angiotensin System and Reactive Oxygen Species. JOURNAL OF VASCULAR RESEARCH 2012;49:4 pp. 363-372,10 p. *impact factor: 2.434*

Fejes Imola, Légrády Péter, Bajcsi Dóra, Farkas Katalin, Ábrahám György. A vizsgaidőszak mint stressz-szituáció hatása a cardiovascularis paraméterekre egészséges egyetemi hallgatókban. Magy Belorv Arch 2012;65:179-184.

Légrády Péter, Bajcsi Dóra, Fejes Imola, Vörös E., Barzó P., Ábrahám György. Effect of left-sided brain stem decompression on blood pressure and short-term cardiovascular regulation in resistant hypertension. Hypertens Res 2012;35:1118-1119. *impact factor: 2.791*

Légrády Péter, Nagy F. T., Thury A., Bajcsi Dóra, Fejes Imola, Simon J., Nagy E., Ungi I., Ábrahám György. Mindkét oldali renalis artéria rádiófrekvenciás ablációjának hatása a vérnyomás, a terápia és a baroreflexszenzitivitás alakulására terápiaerezisztens hypertoniás beteg esetében. Hypertonia és Nephrologia 2012;16:148-152.

2013

Masszi G, Buday A, Novak A, Horvath EM, Tarszabo R, Sara L, Revesz C, Benko R, Nadasy GL, Benyo Z, Hamar P, Varbiro S. Altered insulin-induced relaxation of aortic rings in a dihydrotestosterone-induced rodent model of polycystic ovary syndrome. Fertil Steril. 2013; 99:573-578. *IF: 4,295*

Masszi G, Horvath EM, Tarszabo R, Benko R, Novak A, Buday A, Tokes AM, Nadasy NL, Hamar P, Benyó Z, Varbiro Sz. Reduced Estradiol-Induced Vasodilation and Poly-(ADP-Ribose) Polymerase (PARP) Activity in the Aortas of Rats with Experimental Polycystic Ovary Syndrome (PCOS) PLOS ONE. 2013; 8:(3) Paper e55589. 7 p. *IF: 3,534*

Masszi G, Novak A, Tarszabo R, Horvath EM, Buday A, Ruisanchez E, Tokes AM, Sara L, Benko R, Nadasy GL, Revesz C, Hamar P, Benyó Z, Varbiro S. Effects of vitamin D3 derivative--calcitriol on pharmacological reactivity of aortic rings in a rodent PCOS model. Pharmacol Rep. 2013;65(2):476-483. *IF: 2,165*

Masszi G , Benko R , Csibi N , Horvath EM , Tokes AM , Novak A , Beres NJ , Tarszabo R , Buday A , Repas Cs , Bekesi G , Patocs A , Nadasy GyL , Hamar P , Benyo Z , Varbiro Sz Endothelial relaxation mechanisms and nitrate stress are partly restored by Vitamin D3 therapy in a rat model of polycystic ovary syndrome. LIFE SCIENCES 93:(4) pp. 133-138. (2013) *IF:2,296*

Wappler EA, Antal P, Várbíró S, Székács B, Simon A, Nagy Z, Monos E, Nádasy GL Network remodeling of intramural coronary resistance arteries in the aged rat: A statistical analysis of geometry. Mech Ageing Dev. 2013; 134:307-313. *IF:3,510*

Toth P, Csiszar A, Sosnowska D, Tucsek Z, Cseplo P, Springo Z, Tarantini S, Sonntag WE, Ungvari Z, Koller A. Treatment with the cytochrome P450 omega-hydroxylase inhibitor HET0016 attenuates cerebrovascular inflammation, oxidative stress and improves vasomotor function in spontaneously hypertensive rats. *BRITISH JOURNAL OF PHARMACOLOGY* 2013;168:8 pp. 1878-1888,11 p. *impact factor: 4.990*

Fang L, Radovits T, Szabó G, Mózes MM, Rosivall L, Kökény G. Selective phosphodiesterase-5 (PDE-5) inhibitor vardenafil ameliorates renal damage in type 1 diabetic rats by restoring cyclic 3',5' guanosine monophosphate (cGMP) level in podocytes. *Nephrol Dial Transplant.* 2013 Jul;28(7):1751-61. *impact factor: 3,488*

2014:

Véber OA, Lendvai Z, Ronai KZ, Dunai A, Zoller R, Lindner AV, Turanyi CZ, Szocs JL, Keresztes K, Tabák AG, Novak M, Molnar MZ, and Mucsi I.: Obstructive Sleep Apnea and Cardiovascular Autonomic Function in Male Patients with Metabolic Syndrome *Metab Syndr Relat Disord.* 2014 Mar;12(2):117-24. *IF: 1.976*

Fügedi G, Molnár M, Rigó J Jr, Schönleber J, Kovalszky I, Molvarec A. Increased placental expression of cannabinoid receptor 1 in preeclampsia: an observational study. *BMC Pregnancy Childbirth* 2014;14:395. *impact factor: 2,19*

Varbiro S, Sara L, Antal P, Monori-Kiss A, Tokes AM, Monos E, Benko R, Csibi N, Szekeres M, Tarszabo R, Novak A, Paragi P, Nadasy GL. Lower-limb veins are thicker and vascular reactivity is decreased in a rat PCOS model: concomitant vitamin D3 treatment partially prevents these changes *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY* 307:(6) pp. H848-H857. (2014) *IF:3,838*

Légrády Péter, Fejes Imola, Ábrahám György *The Sympathetic Nervous System in Hypertension: It's role in the pathomechanism and the therapy of hypertension.* Saarbrücken, Germany, 2014; Scholars' Press (ISBN 9783639717800), 63 p.

Légrády Péter *The role of the sympathetic nervous system in the pathomechanism and the therapy of hypertension.* PhD dolgozat. Szeged, 2014. SZTE, 63 p.

2015:

László A, Babos L, Kiss-Igari Z, Pálffy A, Torzsa P, Eőry A, Kalabay L, Gonda X, Rihmer Z, Cseprekál O, Tislér A, Lénárt L, Hodrea J, Fekete A, Nemcsik J. Identification of hypertensive patients with dominant affective temperaments might improve the psychopathological and cardiovascular risk stratification: a pilot, case-control study. *Ann Gen Psychiatry*, 2015; 14:33. *impact factor: 1.411*

Nemeth ZK, Mardare NG, Czira ME, Deak G, Kiss I, Mathe Z, Rempert A, Ujszaszi A, Covic A, Molnar MZ, Mucsi I. Serum osteoprotegerin is associated with pulse pressure in kidney transplant recipients. *Sci Rep*. 2015 Oct 13;5:14518. *IF*: 5.228

Molvarec A, Fügedi G, Szabó E, Stenczer B, Walentin S, Rigó J Jr. Decreased circulating anandamide levels in preeclampsia. *Hypertens Res* 2015;38(6):413-8. *impact factor*: 3,208

2016:

Nemcsik J, László A, Lénárt L, Eörsi D, Torzsa P, Kőrösi B, Cseprekál O, Tislér A, Tabák A, Gonda X, Rihmer Z, Hodrea J, Nemcsik-Bencze Zs, Fekete A. Hyperthymic Affective Temperament and Hypertension are Independent Determinants of Serum Brain-derived Neurotrophic Factor Level. *Ann Gen Psychiatry*, 2016;15:17. *impact factor*: 1.405

László A, Tabák Á, Kőrösi B, Eörsi D, Torzsa P, Cseprekál O, Tislér A, Reusz Gy, Nemcsik-Bencze Zs, Gonda X, Rihmer Z, Nemcsik J. Association of Affective Temperaments with Blood Pressure and Arterial Stiffness in Hypertensive Patients: a Cross-sectional Study. *BMC Cardiovasc Disord*, 2016;16:158. *impact factor*: 1.832

Cseprekál O, Egresits J, Tabák Á, Nemcsik J, Járai Z, Babos L, Fodor E, Farkas K, Godina G, Kárpáthi KI, Kerkovits L, Marton A, Nemcsik-Bencze Zs, Németh Z, Sallai L, Kiss I, Tislér A. The significance of micro- and macrovascular biomarkers on cardiovascular outcome in chronic kidney disease: a prospective cohort study. *J Hum Hypertens*. 2016 Jul;30(7):449-55. *impact factor*: 2,797.

Matrai M, Hetthessy JR, Nadasy GL, Szekacs B, Mericli M, Acs N, Monos E, Arbib N, Varbiro S Estrogen therapy may counterbalance eutrophic remodeling of coronary arteries and increase bradykinin relaxation in a rat model of menopausal hypertension. *MENOPAUSE* 23:(7) pp. 778-783. (2016) *IF*:2,733

Cseplo P, Vamos, Z, Ivic I, Torok O, Toth A, Koller A. The Beta-1-Receptor Blocker Nebivolol Elicits Dilation of Cerebral Arteries by Reducing Smooth Muscle [Ca²⁺]_i *PLOS ONE* 2016;11:10 Paper: e0164010,22 p. *impact factor*: 2.806

2017:

Kőrösi B, László A, Tabák Á, Batta D, Lénárt L, Fekete A, Eörsi D, Cseprekál O, Tislér A, Nemcsik-Bencze Zs, Gonda X, Rihmer Z, Nemcsik J. The impact of currently recommended antihypertensive therapy on depression and other psychometric parameters: preliminary communication. *Neuropsychopharm Hung* 2017;19:11-22.

Nemcsik J, Vecsey-Nagy M, Szilveszter B, Kolossváry M, Karády J, László A, Kőrösi B, Nemcsik-Bencze Zs, Gonda X, Merkely B, Rihmer Z, Maurovich-Horvat P. Inverse association between hyperthymic affective temperament and coronary atherosclerosis: A coronary

computed tomography angiography study. *J Psychosom Res*, 2017;103:108-112. *impact factor*: 2,947

Kökény G, Fang L, Révész Cs, Mózes MM, Vörös P, Szénási G, Rosivall L: The effect of combined treatment with the (pro)renin receptor blocker HRP and Quinapril in type 1 diabetic rats. *Kidney and Blood Pressure Research*. 42(1):109-122, 2017 *IF*: 2.908

Nemcsik J, Cseprekál O, Egresits J, Kielstein J, Kümpers P, Lukasz A, Tabák Á, Marton A, Németh ZK, Járai Z, Godina G, Sallai L, Farkas K, Kiss I, Tislér A. The role of laser Doppler flowmetry tests, serum angiopoietin-2, asymmetric and symmetric dimethylarginine to predict outcome in chronic kidney disease. *J Hypertens*. 2017 May;35(5):1109-1118. *impact factor*: 4,092.

2018:

Körösi B, László A, Tabák Á, Batta D, Lénárt L, Fekete A, Eörsi D, Cseprekál O, Tislér A, Nemcsik-Bencze Zs, Gonda X, Rihmer Z, Nemcsik J. A jelenlegi ajánlások szerinti antihipertenzív terápia hatása a depresszióra és egyéb pszichometriai paraméterekre: előzetes eredmények. *Hypertonia és Nephrologia* 2018;22:111-119.

Nemcsik J, Tabák Á, Batta D, Cseprekál O, Egresits J, Tislér A. Integrated central blood pressure-aortic stiffness risk score for cardiovascular risk stratification in chronic kidney disease. *Physiol Int*. 2018 Dec 1;105(4):335-346. *impact factor*: 1,113.

Hadjadj L, Varbiro S, Horvath EM, Monori-Kiss A, Pal E, Karvaly GB, Heinzlmann A, Magyar A, Szabo I, Sziva RE, Benyo Z, Buday M, Nadasy GL Insulin resistance in an animal model of polycystic ovary disease is aggravated by vitamin D deficiency: Vascular consequences. *Dia Vasc Dis Res*. 15(4): 294-301. 2018. *IF*: 2,357.

Pal E, Hadjadj L, Fontanyi Z, Monori-Kiss A, Mezei Z, Lippai N, Magyar A, Heinzlmann A, Karvaly G, Monos E, Nadasy G, Benyo Z, Varbiro S Vitamin D deficiency causes inward hypertrophic remodeling and alters vascular reactivity of rat cerebral arterioles.

PLOS ONE 13:(2) Paper e0192480. 16 p. (2018) *IF*:2,776

2019:

Hadjadj L; Pál É; Monori-Kiss A; Sziva, RE; Korsós-Novák Á; Horváth EM; Benkő R; Magyar A; Magyar P; Benyó Z, Nádasy GL, Várbíró S. Vitamin D deficiency and androgen excess result eutrophic remodeling and reduced myogenic adaptation in small cerebral arterioles in female rats *GYNECOLOGICAL ENDOCRINOLOGY* pp. 1-6. , 6 p. (2019) *IF*: *1,406

Hadjadj L; Monori-Kiss A; Horváth EM; Heinzlmann A; Magyar A; Sziva RE; Miklós, Zs; Pál É; Gál J; Szabó, I, Benyó Z., Nádasy GL, Várbíró S. Geometric, elastic and contractile-relaxation changes in coronary arterioles induced by Vitamin D deficiency in normal and

hyperandrogenic female rats MICROVASCULAR RESEARCH 122 pp. 78-84. , 7 p. (2019) *IF: *2,604*

Pal, E*; Hadjadj L*; Fontanyi Z; Monori-Kiss A; Lippai N; Horvath EM; Magyar A; Horvath E; Monos E; Nadasy GL. Benyó Z, Várbió S. Gender, hyperandrogenism and vitamin D deficiency related functional and morphological alterations of rat cerebral arteries PLOS ONE 14 : 5 Paper: e0216951 , 13 p. (2019) *IF: *2,776*

Kőrösi B, Vecsey-Nagy M, Kolossváry M, Nemcsik-Bencze Z, Szilveszter B, László A, Batta D, Gonda X, Merkely B, Rihmer Z, Maurovich-Horvat P, Eörsi D, Torzsa P, Nemcsik J. The association between cyclothymic affective temperament and the age of onset of hypertension. Int J Hypertens. 2019 Nov 18;2019: 9248247. *impact factor: 1,865*

Kőrösi B, Batta D, Gonda X, Rihmer Z, Nemcsik-Bencze Z, László A, Vecsey-Nagy M, Nemcsik J. Association between irritable affective temperament and nighttime peripheral and central systolic blood pressure in hypertension Artery Res 2019;25:41-47, *impact factor: 0,969*

Batta D, Tabák Á, Kőrösi B, Cseprekál O, Egresits J, Tislér A, Nemcsik J. Integrated central blood pressure-aortic stiffness risk categories and cardiovascular mortality in end-stage renal disease. Artery Res 2019;25:49-55, *impact factor: 0,969*

Pánczél Z, Kukor Z, Supák D, Kovács B, Kecskeméti A, Czizel R, Djurecz M, Alasztics B, Csomó KB, Hrabák A, Valent S. Pravastatin induces NO synthesis by enhancing microsomal arginine uptake in healthy and preeclamptic placentas. BMC Pregnancy Childbirth. 2019 Nov 20;19(1):426. *impact factor: 2,239*

2020:

Pánczél Z, Supák D, Kovács B, Kukor Z, Valent S. Effect of pravastatin on tetrahydrobiopterin-sensitive and -resistant NO synthase activity of preeclamptic placentas. Orv Hetil. 2020 Mar;161(10):389-395. *impact factor: 0,497*

Pató, A, Németh, Z, Járai Z, Koller Á. Nem minden fiatal, sportoló egyetemista él optimális vérnyomással. A 2019. évi Májusi Mérési Hónap (MMM-19) eredményei. Hypertonia és Nephrologia 2020;24:3 pp.121-125.

Lelbach Á, Dörnyei G, Ihász F, Koller Á. Post-sport career healthy ageing: the Janus-faced high performance sport. Developments in Health Sciences 2020: In press:7 p.

Lelbach Á, Kántor M, Koller Á: Kardiometabolikus változások és a hipertonia kialakulása versenysportolóknál pályafutásuk befejezését követően Hypertonia és Nephrologia, 2020; 24(4):173-179.

Batta D, Kőrösi B, Nemcsik J. Supine hypertension and extreme reverse dipping phenomenon decades after kidney transplantation: a case report. *Artery Res* 2020;26:183-186 *impact factor: 0,519*

Kőrösi B, Gyöngyösi H, Batta D, László A, Kovács I, Tislér A, Cseprekál O, Nemcsik-Bencze Zs, Gonda X, Rihmer Z, Nemcsik J. Evaluation of affective temperaments and arterial stiffness in different hypertension phenotypes. *Hypertens Res* in press, *impact factor: 2,941*

Sziva RE, Fontányi Z, Pál É, Hadjadj L, Monori-Kiss A, Horváth EM, Benkő R, Magyar A, Heinzlmann A, Benyó Z, Nádasy GL, Várbíró S. Vitamin D Deficiency Induces Elevated Oxidative and Biomechanical Damage in Coronary Arterioles in Male Rats. *Antioxidants* (Basel). 2020 Oct 15;9(10):997. *impact factor: 5,014*

Jósvai A, Török M, Mátrai M, Hetthéssy J, Monori-Kiss A, Makk J, Székács B, Nádasy GL, Várbíró S. Effects of Testosterone Deficiency and Angiotensin II-Induced Hypertension on the Biomechanics of Intramural Coronary Arteries. *J Sex Med.* 2020 Dec;17(12):2322-2330. *impact factor: 3,293*

Török M, Horváth EM, Monori-Kiss A, Pál É, Gerszi D, Merkely P, Sayour AA, Mátyás C, Oláh A, Radovits T, Merkely B, Ács N, Nádasy GL, Várbíró S. Chronic swimming training resulted in more relaxed coronary arterioles in male and enhanced vasoconstrictor ability in female rats. *J Sports Med Phys Fitness.* 2020 Jul 30. *impact factor: 1,432*

Pál É, Hricisák L, Lékai Á, Nagy D, Fülöp Á, Erben RG, Várbíró S, Sándor P, Benyó Z. Ablation of Vitamin D Signaling Compromises Cerebrovascular Adaptation to Carotid Artery Occlusion in Mice. *Cells.* 2020 Jun 12;9(6):1457. *impact factor: 4,366*

Monori-Kiss A, Antal P, Szekeres M, Varbiro S, Fees A, Szekacs B, Nadasy GL. Morphological remodeling of the intramural coronary resistance artery network geometry in chronically Angiotensin II infused hypertensive female rats. *Heliyon.* 2020 Apr 23;6(4):e03807. *impact factor: 1,65*

Török M, Monori-Kiss A, Pál É, Horváth E, Jósvai A, Merkely P, Barta BA, Mátyás C, Oláh A, Radovits T, Merkely B, Ács N, Nádasy GL, Várbíró S. Long-term exercise results in morphological and biomechanical changes in coronary resistance arterioles in male and female rats. *Biol Sex Differ.* 2020 Feb 12;11(1):7. *impact factor: 3,267*